

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8278	((709/203,228) or (713/153, 166) or (726/14)).CCLS.	US-PGPU B; USPAT	OR	OFF	2005/12/19 10:35
L2	594	1 and ssl	US-PGPU B; USPAT	OR	ON	2005/12/19 11:01
L3	15	2 and (load adj (balanc\$3 or distribution)).ab.	US-PGPU B; USPAT	OR	ON	2005/12/19 10:39
L4	15	2 and (persisten\$2).ab.	US-PGPU B; USPAT	OR	ON	2005/12/19 10:39
L5	0	("6732269").URPN.	USPAT	OR	ON	2005/12/19 10:49
L6	4	("5657390" "5875296" "5935212" "6104716").PN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/12/19 10:50
L10	8	("6367009").URPN.	USPAT	OR	ON	2005/12/19 10:52
L11	8	url with index same persistent	US-PGPU B; USPAT	OR	ON	2005/12/19 10:53
L12	82	url with index and connection with maintain\$3	US-PGPU B; USPAT	OR	ON	2005/12/19 10:53
L13	20	("6212565").URPN.	USPAT	OR	ON	2005/12/19 10:55
L14	17	1 and ssl same persisten\$2	US-PGPU B; USPAT	OR	ON	2005/12/19 11:04
L15	31	1 and ssl and persistent adj (session or connection)	US-PGPU B; USPAT	OR	ON	2005/12/19 11:12
L16	23	15 not 14	US-PGPU B; USPAT	OR	ON	2005/12/19 11:08
L18	1	1 and ssl same separate adj connection with (user or client)	US-PGPU B; USPAT	OR	ON	2005/12/19 11:09
L19	10	1 and ssl same separate with connection with (user or client)	US-PGPU B; USPAT	OR	ON	2005/12/19 11:09
L20	0	1 and ssl same separate with session with (user or client)	US-PGPU B; USPAT	OR	ON	2005/12/19 11:09
L21	14	1 and (load adj (balanc\$3 or distribut\$3)) same persistent adj (session or connection)	US-PGPU B; USPAT	OR	ON	2005/12/19 11:36

S30 7	1909	established adj3 (connections! or tunnels!)	US-PGPU B; USPAT	OR	ON	2005/12/16 09:53
S30 8	181	established adj3 (connections! or tunnels!) same select\$3	US-PGPU B; USPAT	OR	ON	2005/12/16 09:54
S30 9	3	S308 and ssl	US-PGPU B; USPAT	OR	ON	2005/12/16 09:54
S31 0	20	(previously or already) with established adj3 (connections! or tunnels!) same select\$3	US-PGPU B; USPAT	OR	ON	2005/12/16 09:57
S31 1	8	(previously or already) with established adj3 (connections! or tunnels!) same (dispatch\$3 or bridge or (load adj balanc\$3))	US-PGPU B; USPAT	OR	ON	2005/12/16 09:59
S31 2	2468	(farm or cluster) and server same (dispatch\$3 or (load adj balanc\$3))	US-PGPU B; USPAT	OR	ON	2005/12/16 09:59
S31 3	68	(farm or cluster) and server same (dispatch\$3 or (load adj balanc\$3)) same (establish\$3 or maintain\$3) with (connections! or tunnels!)	US-PGPU B; USPAT	OR	ON	2005/12/16 10:09
S31 4	45	(farm or cluster) and (dispatch\$3 or (load adj balanc\$3)) same (table or mapping) with (connections! or tunnels!)	US-PGPU B; USPAT	OR	ON	2005/12/16 10:30
S31 5	1	("6772333").URPN.	USPAT	OR	ON	2005/12/16 10:13
S31 6	65	(farm or cluster) and (dispatch\$3 or (load adj balanc\$3)) same (table or mapping) same persisten\$4	US-PGPU B; USPAT	OR	ON	2005/12/16 10:31
S31 7	0	(farm or cluster) and (dispatch\$3 or (load adj balanc\$3)) same (table or mapping) with available adj (tunnels! or connections!)	US-PGPU B; USPAT	OR	ON	2005/12/16 10:31
S31 8	0	(dispatch\$3 or (load adj balanc\$3)) same (table or mapping) with available adj (tunnels! or connections!)	US-PGPU B; USPAT	OR	ON	2005/12/16 10:31

S31 9	3	(dispatch\$3 or (load adj balanc\$3)) and (table or mapping) with available adj (tunnels! or connections!)	US-PGPU B; USPAT	OR	ON	2005/12/16 10:33
S32 0	26	ssl adj tunnel	US-PGPU B; USPAT	OR	ON	2005/12/16 10:34
S32 1	254	ssl same tunnel	US-PGPU B; USPAT	OR	ON	2005/12/16 10:34
S32 2	48	S321 and (dispatch\$3 or (load adj balanc\$3))	US-PGPU B; USPAT	OR	ON	2005/12/16 11:23
S32 3	12	bridg\$3 with ssl	US-PGPU B; USPAT	OR	ON	2005/12/16 11:05
S32 4	10	two adj2 ssl with (session or id or connections or tunnels or context)	US-PGPU B; USPAT	OR	ON	2005/12/16 11:08
S32 5	1	("6763467").PN.	US-PGPU B; USPAT	OR	OFF	2005/12/16 11:22
S32 6	287	ssl with proxy\$3	US-PGPU B; USPAT	OR	ON	2005/12/16 11:36
S32 7	116	S326 and (dispatch\$3 or (load adj balanc\$3))	US-PGPU B; USPAT	OR	ON	2005/12/16 11:23
S32 8	108	S327 and (id or identifier)	US-PGPU B; USPAT	OR	ON	2005/12/16 11:23
S32 9	98	S328 and (map\$4 or table or persistence)	US-PGPU B; USPAT	OR	ON	2005/12/16 11:24
S33 0	99	S328 and (map\$4 or table or persisten\$2)	US-PGPU B; USPAT	OR	ON	2005/12/16 11:24
S33 1	37	S330 and @ad<"20000929"	US-PGPU B; USPAT	OR	ON	2005/12/16 11:24
S33 2	137	ssl near3 proxy\$3	US-PGPU B; USPAT	OR	ON	2005/12/16 11:36
S33 3	5	ssl near3 proxy\$3 same behalf	US-PGPU B; USPAT	OR	ON	2005/12/16 11:37
S33 4	12	ssl near3 (connection or tunnel) with behalf	US-PGPU B; USPAT	OR	ON	2005/12/16 11:37
S33 5	8	("6367009").URPN.	USPAT	OR	ON	2005/12/16 11:39